


SWITCH CIRCUIT

MATERIAL AND FINISH AS BELOW




WHEN CARD IS EJECTED

WHEN CARD IS INSERTED

A	Housing	LCP UL94V-0 Beige	E	
B	Contact	Phosphor Bronze C5210, Contact Area: Gold Flash	F	
C	Latch	Stainless Steel SUS301	G	
D			H	



NOTES:
 DATE CODE 2202 (YWWD)
 Y: 2 YEAR(2012)
 WW:20 WEEK(01~52)
 D: 2 DAY(01~07)



SPECIFICATION:

- 1. ELECTRICAL**
- 1.1 Current Rating: 0.5A per pin
 - 1.2 Voltage Rating: 25V AC/DC
 - 1.3 Contact Resistance: 60mΩ
 - 1.4 Insulation Resistance: 500MΩ
 - 1.5 Dielectric Withstanding Voltage: 125VAC

- 2. MECHANICAL**
- 2.1 Durability: 25 Cycle
 - 2.2 Latch Retention Force: 8 N/Pos. Min

- 3. ENVIRONMENTAL**
- 3.1 Operating temperature range: -40°C~+85°C
 - 3.2 Storage temperature range: -40°C~+85°C

- 4. SOLDER ABILITY**
- 4.1 Recommended IR Reflow Temperature: 255°C 10Sec

P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12
PIN ASSIGNMENT											
122B-150A00			SO DIMM DDR3 Socket 1.5V 204Pin 15.0H Vertical Type , Contact Area: Gold Flash								
PRODUCT NO.			DESCRIPTION								

UNLESS OTHERWISE SPECIFIED TOLERANCE		
ANGLES	ANG.	±5°
LINEAR	0.	±0.3
	0.0	±0.25
	0.00	±0.20
SCALE	AS SHOWN	UNIT: mm
DRAWN	Willis	2012/12/05
CHECKED	Angel	2012/12/05
APPROVED	Ken	2012/12/05









www.allconnectors.com info@allconnectors.com
 Tel: +86 755 29555000 Fax: +86 755 29255004
 002711 Nierstaß-Damm Kellenheim/DE

DRAWN NAME: SO DIMM DDR3 Socket
 1.5V 204Pin 15.0H Vertical Type

PRODUCT NO. 122B-150A00

△	Revise:	
△	Revise:	
△	Revise:	

REV.	DESCRIPTION	DATE	REV.	DESCRIPTION	DATE	SIZE	REV.	FILE NAME
1						A4	1.0	122B-150A00_B_1




REV.	DESCRIPTION	DATE	REV.	DESCRIPTION	DATE	SIZE	REV.	FILE NAME
1			2			A4	1.0	122B-150A00_B_1
3			4					
5			6					
7			8					
9			10					

UNLESS OTHERWISE SPECIFIED TOLERANCE			All Connectors	
ANGLES	ANG.	±5°	www.allconnectors.com Tel: 0049 711 700500 70784P (Innstadt, Germany) allconnectors.de	
LINEAR	0.	±0.3		
	0.0	±0.25	DRAWN NAME: SO DIMM DDR3 Socket	
	0.00	±0.20	1.5V 204Pin 15.0H Vertical Type	
SCALE	AS SHOWN	UNIT: mm	PRODUCT NO.	122B-150A00
DRAWN	Willis	2012/12/05	FILE NAME	122B-150A00_B_1
CHECKED	Angel	2012/12/05		
APPROVED	Ken	2012/12/05		

△ Revise:
△ Revise:
△ Revise:

All Connectors
www.allconnectors.com
Tel: 0049 711 700500
70784P (Innstadt, Germany)
allconnectors.de

DRAWN NAME: SO DIMM DDR3 Socket
1.5V 204Pin 15.0H Vertical Type
PRODUCT NO.: 122B-150A00
FILE NAME: 122B-150A00_B_1



PACKAGING SPECIFICATION:

- 1. PACKING**
- 1.1 Quantity:**

 - 24 Piece/Tray
 - 144 Piece/Inner Carton
 - 432 Piece/Outer Carton

						UNLESS OTHERWISE SPECIFIED TOLERANCE ANGLES ANG. ±5P 0. ±0.3 LINEAR 0.0 ±0.25 0.00 ±0.20			 www.allconnectors.com info@allconnectors.com TEL: 0091 744 706600 FAX: 0091 744 706601 27/45/51/52/53/54/55/56/57/58/59/60/61/62/63/64/65/66/67/68/69/70/71/72/73/74/75/76/77/78/79/80/81/82/83/84/85/86/87/88/89/90/91/92/93/94/95/96/97/98/99/100		
						SCALE	AS SHOWN	UNIT: mm			
						DRAWN	Willis	2012/12/05	PRODUCT NO. 122B-150A00		
						CHECKED	Angel	2012/12/05	FILE NAME 122B-150A00_D_1		
						APPROVED	Ken	2012/12/05			
REV.	DESCRIPTION	DATE	REV.	DESCRIPTION	DATE	SIZE	M	REV.	1.0		
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											

- △ Revise:
- △ Revise:
- △ Revise: