


SWITCH CIRCUIT

MATERIAL AND FINISH AS BELOW

WHEN CARD IS EJECTED

WHEN CARD IS INSERTED

A	Housing	LCP UL94V-0 Beige	E	
B	Contact	Phosphor Bronze C5210, Contact Area: Gold Flash	F	
C	Latch	Stainless Steel SUS301	G	
D			H	



NOTES:
 DATE CODE 2202 (YWWD)
 Y: 2 YEAR(2012)
 WW:20 WEEK(01~52)
 D: 2 DAY(01~07)




SPECIFICATION:

- ELECTRICAL**
 - 1.1 Current Rating: 0.5A per pin
 - 1.2 Voltage Rating: 25V AC/DC
 - 1.3 Contact Resistance: 60mΩ
 - 1.4 Insulation Resistance: 500MΩ
 - 1.5 Dielectric Withstanding Voltage: 125VAC

- MECHANICAL**
 - 2.1 Durability: 25 Cycle
 - 2.2 Latch Retention Force: 8 N/Pos. Min

- ENVIRONMENTAL**
 - 3.1 Operating temperature range: -40°C~+85°C
 - 3.2 Storage temperature range: -40°C~+85°C

- SOLDER ABILITY**
 - 4.1 Recommended IR Reflow Temperature: 255°C 10Sec



P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12
----	----	----	----	----	----	----	----	----	-----	-----	-----

PIN ASSIGNMENT

122B-150A00	SO DIMM DDR3 Socket 1.5V 204Pin 15.0H Vertical Type , Contact Area: Gold Flash
-------------	--






PRODUCT NO.	DESCRIPTION
UNLESS OTHERWISE SPECIFIED TOLERANCE	
ANGLES	ANG. ±5°
LINEAR	0. ±0.3
	0.0 ±0.25
	0.00 ±0.20
SCALE	AS SHOWN UNIT: mm
DRAWN	Willis 2012/12/05
CHECKED	Angel 2012/12/05
APPROVED	Ken 2012/12/05
DRAWN NAME: SO DIMM DDR3 Socket 1.5V 204Pin 15.0H Vertical Type	
PRODUCT NO.	122B-150A00
FILE NAME	122B-150A00_B_1



www.allconnectors.com
 Tel: +86 755 29555000
 Fax: +86 755 29555004
 info@allconnectors.com
 sales@allconnectors.com

- Revise:
- Revise:
- Revise:

REV.	DESCRIPTION	DATE	REV.	DESCRIPTION	DATE	SIZE	REV.	FILE NAME
1						A4	1.0	122B-150A00_B_1




REV.	DESCRIPTION	DATE	REV.	DESCRIPTION	DATE	SIZE	REV.	FILE NAME
1			4			A4	1.0	122B-150A00_B_1
2			5					
3			6					
4			7					
5			8					
6			9					
7			10					

UNLESS OTHERWISE SPECIFIED TOLERANCE			All connectors	
ANGLES	ANG.	±SP	www.allconnectors.com TEL: 0049 711 7005001 70784F (Hörselrad) Germany info@allconnectors.com Fax: 0049 711 7005001 allconnectors.de	
LINEAR	0.	±0.3		
	0.0	±0.25		
	0.00	±0.20		
SCALE	AS SHOWN	UNIT: mm		
DRAWN	Willis	2012/12/05	DRAWN NAME:	
CHECKED	Angel	2012/12/05	SO DIMM DDR3 Socket	
APPROVED	Ken	2012/12/05	1.5V 204Pin 15.0H Vertical Type	
			PRODUCT NO.	122B-150A00
			FILE NAME	122B-150A00_B_1

▲ Revise:
 ▲ Revise:
 ▲ Revise:

A
 A



						UNLESS OTHERWISE SPECIFIED TOLERANCE				
						ANGLES	ANG.	±5P		
						LINEAR	0.	±0.25	www.allconnectors.com TEL: 009 754 706600 274451 Indral Street, Singapore	
							0.00	±0.20		
						SCALE	AS SHOWN	UNIT: mm	DRAWN NAME: SO DIMM DDR3 Socket 1.5V 204Pin 15.0H Vertical Type	
						DRAWN	Willis	2012/12/05		
						CHECKED	Angel	2012/12/05		
						APPROVED	Ken	2012/12/05		
						PRODUCT NO.	122B-150A00		FILE NAME 122B-150A00_D_1	
						SIZE	A4	REV.		
REV.	DESCRIPTION		DATE	REV.	DESCRIPTION		DATE			
1				4						

△ Revise:
 △ Revise:
 △ Revise:

A