


SF1D


G

1 The drawing has been revised. 10.05.2010



Section D-D





Section B-B



Section C-C



Section A-A



CABLE CROSS SECTION : 1-2.5 mm²
SOURCE STANDARD: DIN 46247 B3

NO	MEASUREMENT DEVICE	MAX. VALUE	MIN. VALUE
1	MICROMETER	0.42	0.40
2	CALIPER	6.90	6.50
3	CALIPER	3.50	2.70
4	CALIPER	4.30	3.30
5	CALIPER	6.00	5.00
6	CALIPER	4.50	3.50
7	CALIPER	6.00	5.00
8	CALIPER	9.30	8.30
9	CALIPER	4.00	3.70
10	FEELER BLADE	0.65	0.55
11	CALIPER	7.90	7.40
12	CALIPER	0.62	0.58

NOTE: FOR CODES OF COATED PRODUCTS PLEASE LOOK IN THE CHARACTERISTICS NO:S05.017.

DISTRIBUTION	PART CODE	MATERIAL	STANDARD	COATING THICKNESS			NO	MEASUREMENT DEVICE	MAX. VALUE	MIN. VALUE
				Sn	Ag	Ni				
01 ()	0100104006	CuZn30	TS EN 1652	-	-	-	1	MICROMETER	0.42	0.40
02 ()							2	CALIPER	6.90	6.50
03 ()	0300104006	CuSn6	TS EN 1652	-	-	-	3	CALIPER	3.50	2.70
04 ()	0500104006	DC	TS EN 10139	-	-	-	4	CALIPER	4.30	3.30
08 ()							5	CALIPER	6.00	5.00
09 ()	DRAWN BY	F.KARA	SIGNATURE	DATE	21.11.1999		6	CALIPER	4.50	3.50
10 ()	CONFIRMATION	Ü.ALTUNTAŞ	SIGNATURE	DATE	21.11.1999		7	CALIPER	6.00	5.00
							8	CALIPER	9.30	8.30
							9	CALIPER	4.00	3.70
							10	FEELER BLADE	0.65	0.55
							11	CALIPER	7.90	7.40
							12	CALIPER	0.62	0.58
								Part Code No	0100104006	
								Drawing No	5.10.0.1.04.006	

PLEASE DO NOT MEASURE THE DIMENSIONS FROM THE DRAWING.