






This document is the property of Targ Yu Enterprise and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Targ Yu Enterprise without its prior consent, and that no right is granted to disclose or to use any information in this document.

Engineer Drawing


REV	ECN NO.	DESCRIPTION	DATE	APP'D
C/0		RELEASE TO PRODUCTION	03/26/10	Goldberg
C/1		ADD 24PIN TO DRAWING	04/14/11	Paul



TOERANCE: ± 0.05
RECOMMENDED P.C.B. Layout
TOP VIEW



Mating Condition (REF.)



PIN	DIM. (mm)				PIN	DIM. (mm)			
	A	B	C	D		A	B	C	D
02	0.80	1.84	2.30	3.80	12	8.80	9.84	10.30	11.80
03	1.60	2.64	3.10	4.60	14	10.40	11.44	11.90	13.40
04	2.40	3.44	3.90	5.40	15	11.20	12.24	12.70	14.20
05	3.20	4.24	4.70	6.20	16	12.00	13.04	13.50	15.00
06	4.00	5.04	5.50	7.00	17	12.80	13.84	14.30	15.80
08	5.60	6.64	7.10	8.60	20	15.20	16.24	16.70	18.20
09	6.40	7.44	7.90	9.40	22	16.80	17.84	18.30	19.80
10	7.20	8.24	8.70	10.20	24	18.40	19.44	19.90	21.40

- NOTES:
- MATERIAL:
INSULATION(STANDARD): NYLON 9T UL94V-0 (CREAM)
INSULATION(HALOGEN FREE): LCP, UL94V-0 (CREAM)
CONTACT: COPPER ALLOY, $t=0.15$
SOLDER TAB: COPPER ALLOY / FINISH REFERENCE CONTACT
 - CONTACT FINISH: (VOID)--BRIGHT-TIN PLATED OVER NICKEL
GO--GOLD FLASH OVER NICKEL
 - MATES WITH: TF0801 SERIES HOUSING
 - PACKING: 3500 PCS/TAPE REEL
 - ORDERING CODE: TF0801WNR-NPS-*-*A



TOLERANCE	APPROVALS	DATE
X. ± 0.30	DRAWN <i>Li Min Hui</i>	04/14/11'
X.X ± 0.25	CHK'D <i>Paul Chen</i>	04/14/11'
X.XX ± 0.15	APP'D <i>Wayne Lai</i>	04/14/11'
X.XXX ± 0.08		
ANGULA 3'		
UNLESS OTHERWISE SPECIFIED	UNITS mm	SCALE 1:1

Allconnectors

www.allconnectors.de
Tel: +49 44 211 40000
70794 Filzschleib - Germany

info@allconnectors.de
Fax: +49 44 211 40004
Kilfenberg, DE

PART NO.
F0801WNR-NPS-*-*A

DRAWING NO.
EN-F0801WNR-NPS-*-*A

TITLE:
WIRE TO BOARD, RECEPTACLE,
PITCH 0.80mm, RIGHT ANGLE,
SMT TYPE, ASSEMBLY








SHEET 1 OF 3

REV. C/1

This document is the property of Targ Yu Enterprise and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Targ Yu Enterprise without its prior consent, and that no right is granted to disclose or to use any information in this document.

Engineer Drawing

REV	ECN NO.	DESCRIPTION	DATE	APP'D
C/0		RELEASE TO PRODUCTION	03/26/10	Goldberg
C/1		ADD 24PIN TO DRAWING	04/14/11	Paul



PIN	DIM. (mm)						PIN	DIM. (mm)					
	B0	B1	F	W	W1	S		B0	B1	F	W	W1	S
02	4.10	3.10	7.50	16.00	17.50	-	12	12.10	11.10	11.50	24.00	25.50	-
03	4.90	3.90	7.50	16.00	17.50	-	14	13.70	12.70	11.50	24.00	25.50	-
04	5.70	4.70	7.50	16.00	17.50	-	15	14.50	13.50	11.50	24.00	25.50	-
05	6.50	5.50	7.50	16.00	17.50	-	16	15.30	14.30	11.50	24.00	25.50	-
06	7.30	6.30	7.50	16.00	17.50	-	17	16.10	15.10	11.50	24.00	25.50	-
08	8.90	7.90	7.50	16.00	17.50	-	20	18.50	17.50	14.20	32.00	33.50	28.40
09	9.70	8.70	7.50	16.00	17.50	-	22	20.10	19.10	14.20	32.00	33.50	28.40
10	10.50	9.50	11.50	24.00	25.50	-	24	21.70	20.70	14.20	32.00	33.50	28.40

NOTES:


1. 10 SPROCKET HOLE PITCH CUMULATIVE TOLERANCE ± 0.20 .
2. CARRIER CAMBER IS WITHIN 1 mm IN 250 mm.
3. MATERIAL : BLACK CONDUCTIVE POLYSTYRENE ALLOY.(UP-5000)
4. ALL DIMENSIONS MEET EIA-481-C REQUIREMENTS.
5. THICKNESS : 0.30 ± 0.05 mm.
6. COMPONENT LOAD PER 13" REEL : 3500 PCS.

TOLERANCE X. ± 0.30 X.X ± 0.25 X.XX ± 0.15 X.XXX ± 0.08 ANGULA 3° UNLESS OTHERWISE SPECIFIED	APPROVALS		DATE	 www.allconnectors.de Tel.: 0049 211 7009501 70794 Filderstadt - Germany		Info@allconnectors.de Fax: 0049 211 7009504 Kettnerstr. 25	
	DRAWN	<i>Li Min Hui</i>	04/14/11'				
	CHK'D	<i>Paul Chen</i>	04/14/11'	PART NO.	TITLE: WIRE TO BOARD, RECEPTACLE, PITCH 0.80mm, RIGHT ANGLE, SMT TYPE, ASSEMBLY		
	APP'D	<i>Wayne Lai</i>	04/14/11'	DRAWING NO. EN-F0801WNR-NPS-*-*-*A			
	UNITS mm	SCALE 1:1	SIZE: A4		SHEET 2 OF 3	REV. C/1	

This document is the property of Targ Yu Enterprise and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Targ Yu Enterprise without its prior consent, and that no right is granted to disclose or to use any information in this document.


Engineer Drawing

REV	ECN NO.	DESCRIPTION	DATE	APP'D
C/0		RELEASE TO PRODUCTION	03/26/10	Goldberg
C/1		ADD 24PIN TO DRAWING	04/14/11	Paul



PACKING MATERIAL	
PART NAME	DIM. (mm)
REEL	Ø330*(W+0.5)
CARTON	350*350*340

PACKING CAPACITY			
PART NO.	PCS/RE	RE/BC	PCS/BC
TF0801WNR-02S-**-A	3,500 PCS/RE	14 RE/BC	49,000 PCS/BC
TF0801WNR-03S-**-A	3,500 PCS/RE	14 RE/BC	49,000 PCS/BC
TF0801WNR-04S-**-A	3,500 PCS/RE	14 RE/BC	49,000 PCS/BC
TF0801WNR-05S-**-A	3,500 PCS/RE	14 RE/BC	49,000 PCS/BC
TF0801WNR-06S-**-A	3,500 PCS/RE	14 RE/BC	49,000 PCS/BC
TF0801WNR-07S-**-A	3,500 PCS/RE	14 RE/BC	49,000 PCS/BC
TF0801WNR-08S-**-A	3,500 PCS/RE	10RE/BE	35,000PCS/BC
TF0801WNR-09S-**-A	3,500 PCS/RE	10 RE/BC	35,000 PCS/BC
TF0801WNR-12S-**-A	3,500 PCS/RE	10 RE/BC	35,000 PCS/BC
TF0801WNR-14S-**-A	3,500 PCS/RE	10 RE/BC	35,000 PCS/BC
TF0801WNR-15S-**-A	3,500 PCS/RE	10 RE/BC	35,000 PCS/BC
TF0801WNR-16S-**-A	3,500 PCS/RE	10 RE/BC	35,000 PCS/BC
TF0801WNR-17S-**-A	3,500 PCS/RE	10 RE/BC	35,000 PCS/BC
TF0801WNR-20S-**-A	3,500 PCS/RE	8 RE/BC	28,000 PCS/BC
TF0801WNR-22S-**-A	3,500 PCS/RE	8 RE/BC	28,000 PCS/BC
TF0801WNR-24S-**-A	3,500 PCS/RE	8 RE/BC	28,000 PCS/BC



TOLERANCE		APPROVALS		DATE	Allconnectors	
X.	±0.30	DRAWN	<i>Li Min Hui</i>	04/14/11'	www.allconnectors.de	info@allconnectors.de
X.X	±0.25	CHK'D	<i>Paul Chen</i>	04/14/11'	TEL: 0049 711 709503	FAX: 0049 711 709504
X.XX	±0.15	APP'D	<i>Wayne Lai</i>	04/14/11'	70721 Filderstadt - Germany	Kettnerstr. 25
X.XXX	±0.08				PART NO.	TITLE:
ANGULA	3'				F0801WNR-NPS-**-A	WIRE TO BOARD, RECEPTACLE,
UNLESS OTHERWISE SPECIFIED		UNITS mm		SCALE 1:1	SIZE: A4	PITCH 0.80mm, RIGHT ANGLE,
						SMT TYPE, ASSEMBLY
						REV. C/1